

# CICLACIÓN RÁPIDA



A propósito de un caso



InstitutPereMata




# Historia Clínica



- Mujer de 65 años
- NAMC. No ant. MQ. No hábitos tóxicos
- Parto y DPM normal. 2<sup>a</sup> de 4 hermanos. Casada desde los 20 años, madre de 4 hijos
- Bajo rendimiento escolar. Propietaria de peluquería y principal cuidadora de familia origin y nuclear
- No antecedentes familiares
- Personalidad: Temperamento hipertímico de base





# Cronología del caso





# Cronología del caso





# Evolución del caso




**Manía**

**Hipomanía**

**Eutimia**

**Depresión**



TDMR

TB II

TB ciclador rápido

2000

2001

2002

2003

2004

2005

2006

2007

2008

2009

2010

2011



# Discusión



- Uso prolongado y asociación de AD. Switch (Peet M., 1994)
- Retirada del litio (*Calabrese et al, 2001*)
- Asociación valproato-gabapentina (*Bowden et al, 2000*)
- TEC como indicación terapéutica
- Fenómeno de activación propagada: periodos de remisión cada vez más breves
- Temperamento como criterio etiopatogénico? (Andrea Márquez López-Mato et. Al, 2005)



# Bibliografía



1. Peet M. Induction of mania with selective serotonin re-uptake inhibitors and tricyclic antidepressants. *Br J Psychiatry* 1994; 164: 549-550
2. Calabrese J R, Woyshville MJ. A medication algorythm for the treatment of bipolar rapid cycling. *J Clin Psychiatry* 1995; 56 (suple.3): 11-18
3. H. Kaplan; B. Sadock. "Tratado de psiquiatria" sexta edición.
4. Suppes T, Phillips KA, Judd CR. Clozapine treatment of nonpsychotic rapid cycling bipolar disorder: a report of three cases. *Biol Psychiatry* 1994; 36: 338-340
5. Di Costanzo E, Schifano F. Lithium alone or in combination with carbamazepine for the treatment of rapid-cycling bipolar affective disorder. *Acta Psychiatr Scand* 1991; 83: 456- 459
6. Emrich HM, Dose M, von Zerssen D. The use of sodium valproate, carbamazepine and oxcarbazepine in patient with affective disorders. *J Affect Disorders* 1985 ; 8:243-250
7. Bauer MS, hybrow PC. Rapid cycling bipolar affective disorder. Treatment of refractory rapid cycling with high-dose levothyroxine. *Arch Gen Psychiatry* 1990; 47: 435-440
8. 13- Calabrese J, Kimmel SE, Woyshville MJ, Rapport DJ, Faust CJ; Thompson PA, Meltzer HY. Clozapine in the treatment of refractory mania. *Am J Psychiatry* 1996; 153: 759- 764



MUCHAS GRACIAS